L Number	Hits	Search Text	DB	Time stamp
1	898	(mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:18
2	8559	(711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:18
3	1200666	output$3 same ((switch$3 or select$3) nea6 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:20
4	6626	complementary near3 input$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:21
5	32995	output$3 same ((high near2 impedance) or tristat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:23
6	9	((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (complementary near3 input$3) and (output$3 same ((high near2 impedance) or tristat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:23
7	9	(((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (complementary near3 input$3) and (output$3 same ((high near2 impedance) or tristat$3))) and (output$3 same ((switch$3 or select$3) nea6 voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:24
8	8	((((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (complementary near3 input$3) and (output$3 same ((high near2 impedance) or tristat$3))) and (output$3 same ((switch$3 or select$3) nea6 voltage))) and ((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:28
10	21993	(output$3 same ((switch$3 or select$3) nea6 voltage)) same (output$3 same ((high near2 impedance) or tristat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:29

11	7	(((((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (complementary near3 input$3) and (output$3 same ((high near2 impedance) or tristat$3))) and (output$3 same ((switch$3 or select$3) nea6 voltage))) and ((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.))) and ((output$3 same ((switch$3 or select$3) nea6 voltage)) same (output$3 same ((high near2 impedance) or tristat$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:29
-	994	711/104-105.ccls. or 711/109-110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:28
-	1020	710/49.ccls. or 710/52.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:23
-	4973	365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:27
-	2374	mask$3 near6 register same (activ$5 or enabl$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:43
-	3046	365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:35
-	8559	(711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:16
-	148	(mask$3 near6 register same (activ$5 or enabl$3)) and ((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:35
-	387	buffer same (mask$3 near6 register same (activ$5 or enabl$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:37

C:\APPS\EAST\Workspaces\10006785.wsp

-	6626	complementary near3 input$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:19
-	8	(buffer same (mask$3 near6 register same (activ$5 or enabl$3))) and (complementary near3 input$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:38
-	0	(complementary near3 input$3) same (mask$3 near3 (inactive or disable or enable)) same (complimetary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:52
-	287	output$3 same ((high near2 impedance) or tristat$3) same (predetermined near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:02
-	0	(mask$3 near3 (inactive or disable or enable)) same (complimetary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:54
-	0	(mask$3 near3 (inactive or disable or enable or activ$5)) same complimetary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:57
-	1	(buffer same (mask$3 near6 register same (activ$5 or enabl$3))) and (output$3 same ((high near2 impedance) or tristat$3) same (predetermined near2 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:55
-	494	(mask$3 near3 (inactive or disable or enable or activ$5)) same buffer$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:58
-	0	(output$3 same ((high near2 impedance) or tristat$3) same (predetermined near2 value)) and ((mask$3 near3 (inactive or disable or enable or activ$5)) same buffer$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:57
-	0	(mask$3 near3 (assert43 or deassert$3 or inactive or disable or enable or activ$5)) same complimetary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:58
-	535	(mask$3 near3 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:00
-	0	(output$3 same ((high near2 impedance) or tristat$3) same (predetermined near2 value)) and ((mask$3 near3 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:59
-	898	(mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:16
-	1	((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (output$3 same ((high near2 impedance) or tristat$3) same (predetermined near2 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:01

C:\APPS\EAST\Workspaces\10006785.wsp

-	32995	output$3 same ((high near2 impedance) or tristat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:19
-	143	((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (output$3 same ((high near2 impedance) or tristat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:04
-	35	((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (output$3 same ((high near2 impedance) or tristat$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:04
-	12	(((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (output$3 same ((high near2 impedance) or tristat$3)))) and (mask$3 near6 register same (activ$5 or enabl$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:11
-	4	(((((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask$3 near6 (assert$3 or deassert$3 or inactive or disable or enable or activ$5)) same buffer$4) and (output$3 same ((high near2 impedance) or tristat$3)))) and (mask$3 near6 register same (activ$5 or enabl$3))) and (complementary near3 input$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:12

C:\APPS\EAST\Workspaces\10006785.wsp